

Plise senčila

ROLETARSTVO
medle

Prosojnost tkanin



Legenda simbolov:

200
cm

širina tkanine



čiščenje z vlažno krpo



ročno pranje do 30°C z blagim čistilnim sredstvom



enostransko odbojni premaz - perlex



tkanina primerna za delovne prostore z računalniki



negorljiva tkanina

moon PR 3

230
cm



7639

R85 A15 T0

7641

R85 A15 T0

7643

R85 A15 T0

7573

R85 A15 T0

7644

R85 A15 T0

7647

R85 A15 T0

7642

R85 A15 T0

7646

SENČILA
MEDLE

R - refleksija svetlobe (%)
A - absorpcija svetlobe (%)
T - transparentnost svetlobe (%)

R85 A15 T0



Somnio Perlex PR 3

761




R 83,0 A 17,0 T 0,0

763



R 83,0 A 17,0 T 0,0

775



R 83,0 A 17,0 T 0,0

Medvedki PR 4



477



R 83,0 A 17,0 T 0,0

Zvezde PR 4



497



R 84,0 A 16,0 T 0,0

Flora PR 2



590



R 43,0 A 5,0 T 52,0

591



R 43,0 A 9,0 T 48,0

592



R 41,0 A 11,0 T 48,0

Techno PR 2



621



R 43,0 A 20,0 T 37,0

622



R 24,0 A 44,0 T 32,0

Duette PR 3



100



R - refleksija (%)
A - absorpcija (%)
T - transparentnost (%)

R 66,0 A 17,0 T 17,0

Dim Out Perlex B1 PR2

195
cm



890

R 84,0 A 2,0 T 14,0

892

R 79,0 A 12,0 T 9,0

893

R 81,0 A 7,0 T 12,0

896

R 81,0 A 7,0 T 12,0

895

R 82,0 A 7,0 T 11,0

897

R 83,0 A 8,0 T 9,0



R - refleksija (%)
A - absorpcija (%)
T - transparentnost (%)

crush perlex

PR 1

225
cm

30°



7007



R59 A18 T23

7078



R47 A47 T6

7040



R38 A59 T3

7551



R55 A21 T24

7005



R64 A6 T30

7550



R40 A52 T8

5174



R63 A3 T34

6452



R65 A6 T29

5177



R60 A15 T25

5178



R54 A20 T26

5180



R44 A44 T12

5929



R53 A21 T26

5176



R57 A25 T18

5656



R48 A42 T10

SENČILA
MEDLE

R - refleksija svetlobe (%)
A - absorpcija svetlobe (%)
T - transparentnost svetlobe (%)

aida perlex

PR 0



6697

R71 A0 T29

6699

R69 A10 T21

7439

R64 A9 T27

7440

R57 A30 T13

6656

R54 A38 T8

7444

R55 A25 T20

6705

R66 A16 T18

SENČILA
MEDLE

R - refleksija svetlobe (%)
A - absorpcija svetlobe (%)
T - transparentnost svetlobe (%)

Optima Perlex

PR 0

230
cm



750

R 58,0 A 2,0 T 40,0

752

R 65,0 A 1,0 T 34,0

753

R 61,0 A 14,0 T 25,0

755

R 65,0 A 7,0 T 28,0

757

R 60,0 A 21,0 T 19,0

756

R 63,0 A 13,0 T 24,0

758

R 58,0 A 32,0 T 10,0



R - refleksija (%)
A - absorpcija (%)
T - transparentnost (%)


Optima PR 0

230
cm




831

R 49,0 A 1,0 T 50,0



832

R 47,0 A 4,0 T 49,0



834

R 43,0 A 11,0 T 46,0




836

R 9,0 A 83,0 T 8,0


830

R 46,0 A 1,0 T 53,0



833

R 44,0 A 17,0 T 39,0




835

R 44,0 A 11,0 T 45,0




837

R 23,0 A 57,0 T 20,0



839

R 18,0 A 63,0 T 19,0



838

R 15,0 A 71,0 T 14,0



R - refleksija (%)
A - absorpcija (%)
T - transparentnost (%)

basel PR ECON



1220

R46 A1 T53

1218

R40 A13 T47

1210

R42 A11 T47

1201

R44 A10 T46

1230

R5 A89 T6

1225

R23 A49 T28

1223

R10 A79 T11

1224

R7 A85 T8

1217

R18 A59 T23

SENČILA
MEDLE

R - refleksija (%)
A - absorbcija (%)
T - transparentnost (%)

Duette®

PR 4



201 b/o



R77 A23 T0

161 b/o



R77 A23 T0

PR 2



0201



R44 A39 T17

0161



R44 A40 T16

0630



R46 A42 T12

4131



R45 A43 T12

4228



R36 A49 T15

2231





R46 A45 T9

SENČILA
MEDLE

R - refleksija svetlobe (%)
A - absorbcija svetlobe (%)
T - transparentnost svetlobe (%)

Onda

PR 2




6546

R34 A0 T66


Carezza

PR 0



7085

R13 A0 T87



220
cm

PVC



100% polyester

110 g/m²

Debelina cca. 0,55 - 0,60mm



210
cm



PVC



210
cm



PVC



75/25% PES/PA

55 g/m²

Debelina cca. 0,36mm

SENČILA
MEDLE

R - refleksija svetlobe (%)
A - absorpcija svetlobe (%)
T - transparentnost svetlobe (%)